TrakPro Version 4.61 ASCII Data File

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

Test ID:,001

Test Abbreviation:,

Start Date: ,06/16/2015

Start Time:,05:27:47

Duration (dd:hh:mm:ss):,0:00:12:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,12

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3

,Average:,0.029

,Minimum:,0.027

Time of Minimum:,05:28:47

Date of Minimum: 06/16/2015

,Maximum:,0.032

Time of Maximum:,05:34:47

Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,05:28:47,0.027

06/16/2015,05:29:47,0.029

06/16/2015,05:30:47,0.027

06/16/2015,05:31:47,0.027

06/16/2015,05:32:47,0.028

06/16/2015,05:33:47,0.028

06/16/2015,05:34:47,0.032

06/16/2015,05:35:47,0.030

06/16/2015,05:36:47,0.029

06/16/2015,05:37:47,0.032

06/16/2015,05:38:47,0.030

06/16/2015,05:39:47,0.032

Model:,SidePak Aerosol Monitor

Model Number:, AM510

Serial Number:,11410008

Test ID:,002

Test Abbreviation:,

Start Date: ,06/16/2015

Start Time:,05:52:28

Duration (dd:hh:mm:ss):,0:01:13:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,73 Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3 ,Average:,0.065 ,Minimum:,0.024

Time of Minimum:,06:29:28 Date of Minimum: 06/16/2015

,Maximum:,0.311

Time of Maximum:,07:00:28 Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,05:53:28,0.049

06/16/2015,05:54:28,0.060

06/16/2015,05:55:28,0.049

06/16/2015,05:56:28,0.036

06/16/2015,05:57:28,0.032

06/16/2015,05:58:28,0.030

06/16/2015,05:59:28,0.030

06/16/2015,06:00:28,0.035

06/16/2015,06:01:28,0.032

06/16/2015,06:02:28,0.033

06/16/2015,06:03:28,0.030

06/16/2015,06:04:28,0.048

06/16/2015,06:05:28,0.076 06/16/2015,06:06:28,0.038

06/16/2015,06:07:28,0.035

06/16/2015,06:08:28,0.047

06/16/2015,06:09:28,0.070

06/16/2015,06:10:28,0.092

06/16/2015,06:11:28,0.113

06/16/2015,06:12:28,0.174

06/16/2015,06:13:28,0.049

06/16/2015,06:14:28,0.030

06/16/2015,06:15:28,0.031

06/16/2015,06:16:28,0.029

06/16/2015,06:17:28,0.029

06/16/2015,06:18:28,0.036

06/16/2015,06:19:28,0.027

06/16/2015,06:20:28,0.027

06/16/2015,06:21:28,0.027

06/16/2015,06:22:28,0.031

06/16/2015,06:23:28,0.037

06/16/2015,06:24:28,0.056

06/16/2015,06:25:28,0.084

06/16/2015,06:26:28,0.044

06/16/2015,06:27:28,0.030

06/16/2015,06:28:28,0.029

06/16/2015,06:29:28,0.024 06/16/2015,06:30:28,0.025 06/16/2015,06:31:28,0.026 06/16/2015,06:32:28,0.026 06/16/2015,06:33:28,0.027 06/16/2015,06:34:28,0.028 06/16/2015,06:35:28,0.037 06/16/2015,06:36:28,0.098 06/16/2015,06:37:28,0.135 06/16/2015,06:38:28,0.127 06/16/2015,06:39:28,0.065 06/16/2015,06:40:28,0.030 06/16/2015,06:41:28,0.038 06/16/2015,06:42:28,0.040 06/16/2015,06:43:28,0.026 06/16/2015,06:44:28,0.026 06/16/2015,06:45:28,0.037 06/16/2015,06:46:28,0.103 06/16/2015,06:47:28,0.092 06/16/2015,06:48:28,0.040 06/16/2015,06:49:28,0.059 06/16/2015,06:50:28,0.115 06/16/2015,06:51:28,0.197 06/16/2015,06:52:28,0.133 06/16/2015,06:53:28,0.075 06/16/2015,06:54:28,0.064 06/16/2015,06:55:28,0.042 06/16/2015,06:56:28,0.033 06/16/2015,06:57:28,0.175 06/16/2015,06:58:28,0.305 06/16/2015,06:59:28,0.107 06/16/2015,07:00:28,0.311 06/16/2015,07:01:28,0.112 06/16/2015,07:02:28,0.036 06/16/2015,07:03:28,0.044 06/16/2015,07:04:28,0.063

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

06/16/2015,07:05:28,0.094

Test ID:.003

Test Abbreviation:,

Start Date: ,06/16/2015

Start Time:,07:14:13

Duration (dd:hh:mm:ss):,0:00:01:00

Time constant (seconds):,0

Number of points:,1

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.020 ,Minimum:,0.020 Time of Minimum:,07:15:13, Date of Minimum:,06/16/2015

,Maximum:,0.020

Time of Maximum:,07:15:13, Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3 06/16/2015, 07:15:13, 0.020

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

Test ID:,004

Test Abbreviation:, Start Date:,06/16/2015

Start Time:,07:15:59

Duration (dd:hh:mm:ss):,0:00:51:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00

Number of points:,51

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3

,Average:,0.777

,Minimum:,0.026

Time of Minimum:,07:33:59

Date of Minimum:,06/16/2015

,Maximum:,2.539

Time of Maximum:,07:45:59, Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,07:16:59,0.092

06/16/2015,07:17:59,0.066

06/16/2015,07:18:59,0.471

06/16/2015,07:19:59,0.548

06/16/2015,07:20:59,1.010

06/16/2015,07:21:59,1.831

06/16/2015,07:22:59,2.178

06/16/2015,07:23:59,2.167

00/10/2015,07.25.55,2.10/

06/16/2015,07:24:59,1.804

06/16/2015,07:25:59,1.398

06/16/2015,07:26:59,0.976

06/16/2015,07:27:59,1.667

06/16/2015,07:28:59,2.007

06/16/2015,07:29:59,1.760 06/16/2015,07:30:59,0.828 06/16/2015,07:31:59,0.051 06/16/2015,07:32:59,0.050 06/16/2015,07:33:59,0.026 06/16/2015,07:34:59,0.026 06/16/2015,07:35:59,0.581 06/16/2015,07:36:59,1.387 06/16/2015,07:37:59,2.065 06/16/2015,07:38:59,0.520 06/16/2015,07:39:59,0.120 06/16/2015,07:40:59,0.091 06/16/2015,07:41:59,0.064 06/16/2015,07:42:59,0.269 06/16/2015,07:43:59,1.561 06/16/2015,07:44:59,2.226 06/16/2015,07:45:59,2.539 06/16/2015,07:46:59,1.866 06/16/2015,07:47:59,1.238 06/16/2015,07:48:59,1.183 06/16/2015,07:49:59,0.707 06/16/2015,07:50:59,2.298 06/16/2015,07:51:59,0.531 06/16/2015,07:52:59,0.214 06/16/2015,07:53:59,0.098 06/16/2015,07:54:59,0.079 06/16/2015,07:55:59,0.056 06/16/2015,07:56:59,0.048 06/16/2015,07:57:59,0.050 06/16/2015,07:58:59,0.071 06/16/2015,07:59:59,0.163 06/16/2015,08:00:59,0.068 06/16/2015,08:01:59,0.071 06/16/2015,08:02:59,0.103 06/16/2015,08:03:59,0.112 06/16/2015,08:04:59,0.105 06/16/2015,08:05:59,0.093

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

06/16/2015,08:06:59,0.089

Test ID:,005

Test Abbreviation:,

Start Date:,06/16/2015

Start Time:,08:15:44

Duration (dd:hh:mm:ss):,0:00:48:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,48

Notes:,

Statistics, Channel:, Aerosol, Units:, mg/m^3

,Average:,0.256 ,Minimum:,0.022

Time of Minimum: ,08:49:44 Date of Minimum: 06/16/2015

,Maximum:,1.668

Time of Maximum:,08:52:44 Date of Maximum: 06/16/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,08:16:44,0.028

06/16/2015,08:17:44,0.025

06/16/2015,08:18:44,0.024

06/16/2015,08:19:44,0.026

06/16/2015,08:20:44,0.024

06/16/2015,08:21:44,0.029

06/16/2015,08:22:44,0.049

06/16/2015,08:23:44,0.077

06/16/2015,08:24:44,0.402

06/16/2015,08:25:44,0.447

06/16/2015,08:26:44,0.503

06/16/2015,08:27:44,1.141

06/16/2015,08:28:44,0.798

06/16/2015,08:29:44,0.390

06/16/2015,08:30:44,0.825

06/16/2015,08:31:44,0.788

06/16/2015,08:32:44,0.314

06/16/2015,08:33:44,0.079

06/16/2015,08:34:44,0.195

06/16/2015,08:35:44,0.167

06/16/2015,08:36:44,0.161

06/16/2015,08:37:44,0.224

06/16/2015,08:38:44,0.410

06/16/2015,08:39:44,0.252

06/16/2015,08:40:44,0.199

06/16/2015,08:41:44,0.111

06/16/2015,08:42:44,0.073

06/16/2015,08:43:44,0.077

06/16/2015,08:44:44,0.079

06/16/2015,08:45:44,0.073

06/16/2015,08:46:44,0.042

06/16/2015,08:47:44,0.029

06/16/2015,08:48:44,0.030

06/16/2015,08:49:44,0.022

06/16/2015,08:50:44,0.027

06/16/2015,08:51:44,0.150

06/16/2015,08:52:44,1.668

06/16/2015,08:53:44,1.010

06/16/2015,08:54:44,0.864

06/16/2015,08:55:44,0.236

06/16/2015,08:56:44,0.044

06/16/2015,08:57:44,0.026 06/16/2015,08:58:44,0.030 06/16/2015,08:59:44,0.026 06/16/2015,09:00:44,0.025 06/16/2015,09:01:44,0.026 06/16/2015,09:02:44,0.033 06/16/2015,09:03:44,0.033

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

Test ID:,006

Test Abbreviation:, Start Date:,06/16/2015 Start Time:,09:16:05

Duration (dd:hh:mm:ss):,0:00:12:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,12 Notes:,

-----,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.030 ,Minimum:,0.015

Time of Minimum:,09:21:05, Date of Minimum:,06/16/2015

,Maximum:,0.069

Time of Maximum:,09:19:05, Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3

06/16/2015,09:17:05,0.024 06/16/2015,09:18:05,0.028

06/16/2015,09:19:05,0.069

06/16/2015,09:20:05,0.055

06/16/2015,09:21:05,0.015

06/16/2015,09:22:05,0.022

06/16/2015,09:23:05,0.019

06/16/2015,09:24:05,0.019

06/16/2015,09:25:05,0.031

06/16/2015,09:26:05,0.025 06/16/2015,09:27:05,0.030

06/16/2015,09:28:05,0.028

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410008

Test ID:.007

Test Abbreviation:,

Start Date:,06/16/2015 Start Time:,09:29:21

Duration (dd:hh:mm:ss):,0:00:03:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00

Number of points:,3

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.000 ,Minimum:,0.000

Time of Minimum:,09:29:21, Date of Minimum:,06/16/2015

,Maximum:,0.000

Time of Maximum:,09:29:21, Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3 06/16/2015,09:30:21,0.000 06/16/2015,09:31:21,0.000 06/16/2015,09:32:21,0.000

Model:.SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410011

Test ID:,001

Test Abbreviation:, Start Date:,06/16/2015 Start Time:,05:28:01

Duration (dd:hh:mm:ss):,0:00:12:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,12

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.023 ,Minimum:,0.021

Time of Minimum:,05:29:01 ,Date of Minimum:,06/16/2015

,Maximum:,0.026

Time of Maximum:,05:38:01 ,Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3 06/16/2015,05:29:01,0.021 06/16/2015,05:30:01,0.024 06/16/2015,05:31:01,0.021 06/16/2015,05:32:01,0.024 06/16/2015,05:33:01,0.022 06/16/2015,05:34:01,0.022 06/16/2015,05:35:01,0.022 06/16/2015,05:36:01,0.023 06/16/2015,05:37:01,0.023 06/16/2015,05:38:01,0.026 06/16/2015,05:39:01,0.024

Model: SidePak Aerosol Monitor Model Number:,AM510 Serial Number:,11410011 Test ID:.002

06/16/2015,05:40:01,0.024

Test Abbreviation:, Start Date: ,06/16/2015 Start Time:,05:52:21

Duration (dd:hh:mm:ss):,0:01:13:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,73 Notes:.

Statistics, Channel:, Aerosol

,Units:,mg/m^3 ,Average:,0.051 ,Minimum:,0.019 Time of Minimum:,06:30:21

Date of Minimum: 06/16/2015

,Maximum:,0.245

Time of Maximum:,07:00:21 Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/16/2015

Date, Time, Aerosol MM/dd/yyyy,hh:mm:ss,mg/m³ 06/16/2015,05:53:21,0.037 06/16/2015,05:54:21,0.049 06/16/2015,05:55:21,0.039 06/16/2015,05:56:21,0.029 06/16/2015,05:57:21,0.026 06/16/2015,05:58:21,0.027 06/16/2015,05:59:21,0.026 06/16/2015,06:00:21,0.027 06/16/2015,06:01:21,0.028 06/16/2015,06:02:21,0.025 06/16/2015,06:03:21,0.025

06/16/2015,06:04:21,0.041

06/16/2015,06:05:21,0.062 06/16/2015,06:06:21,0.029 06/16/2015,06:07:21,0.028 06/16/2015,06:08:21,0.040 06/16/2015,06:09:21,0.058 06/16/2015,06:10:21,0.074 06/16/2015,06:11:21,0.093 06/16/2015,06:12:21,0.129 06/16/2015,06:13:21,0.036 06/16/2015,06:14:21,0.027 06/16/2015,06:15:21,0.024 06/16/2015,06:16:21,0.022 06/16/2015,06:17:21,0.023 06/16/2015,06:18:21,0.025 06/16/2015,06:19:21,0.021 06/16/2015,06:20:21,0.021 06/16/2015,06:21:21,0.024 06/16/2015,06:22:21,0.025 06/16/2015,06:23:21,0.030 06/16/2015,06:24:21,0.048 06/16/2015,06:25:21,0.066 06/16/2015,06:26:21,0.032 06/16/2015,06:27:21,0.023 06/16/2015,06:28:21,0.021 06/16/2015,06:29:21,0.020 06/16/2015,06:30:21,0.019 06/16/2015,06:31:21,0.020 06/16/2015,06:32:21,0.021 06/16/2015,06:33:21,0.023 06/16/2015,06:34:21,0.023 06/16/2015,06:35:21,0.032 06/16/2015,06:36:21,0.081 06/16/2015,06:37:21,0.108 06/16/2015,06:38:21,0.105 06/16/2015,06:39:21,0.045 06/16/2015,06:40:21,0.023 06/16/2015,06:41:21,0.033 06/16/2015,06:42:21,0.019 06/16/2015,06:43:21,0.020 06/16/2015,06:44:21,0.021 06/16/2015,06:45:21,0.033 06/16/2015,06:46:21,0.077 06/16/2015,06:47:21,0.069 06/16/2015,06:48:21,0.032 06/16/2015,06:49:21,0.048 06/16/2015,06:50:21,0.094 06/16/2015,06:51:21,0.158 06/16/2015.06:52:21.0.102 06/16/2015,06:53:21,0.057 06/16/2015,06:54:21,0.055 06/16/2015,06:55:21,0.032 06/16/2015,06:56:21,0.029 06/16/2015,06:57:21,0.188 06/16/2015,06:58:21,0.202 06/16/2015,06:59:21,0.085 06/16/2015,07:00:21,0.245 06/16/2015,07:01:21,0.074 06/16/2015,07:02:21,0.029 06/16/2015,07:03:21,0.036 06/16/2015,07:04:21,0.052 06/16/2015,07:05:21,0.079

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410011

Test ID:,003

Test Abbreviation:, Start Date:,06/16/2015 Start Time:,07:14:07

Duration (dd:hh:mm:ss):,0:00:01:00

Time constant (seconds):,0

Number of points:,1

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.021 ,Minimum:,0.021

Time of Minimum:,07:15:07, Date of Minimum:,06/16/2015

,Maximum:,0.021

Time of Maximum:,07:15:07, Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3 06/16/2015, 07:15:07, 0.021

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410011

Test ID:,004

Test Abbreviation:, Start Date:,06/16/2015 Start Time:,07:15:51

Duration (dd:hh:mm:ss):,0:00:51:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,51

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.593 ,Minimum:,0.019 Time of Minimum:,07:34:51 Date of Minimum: 06/16/2015

,Maximum:,1.968

Time of Maximum:,07:45:51 Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,07:16:51,0.066

06/16/2015,07:17:51,0.051

06/16/2015,07:18:51,0.367

06/16/2015,07:19:51,0.438 06/16/2015,07:20:51,0.841

06/16/2015,07:21:51,1.424

06/16/2015,07:22:51,1.652

06/16/2015,07:23:51,1.684

06/16/2015,07:24:51,1.362

06/16/2015,07:25:51,1.009

06/16/2015,07:26:51,0.756

06/16/2015,07:27:51,1.288

06/16/2015,07:28:51,1.525

06/16/2015,07:29:51,1.411

06/16/2015,07:30:51,0.533

06/16/2015,07:31:51,0.035

06/16/2015,07:32:51,0.036

06/16/2015,07:33:51,0.021

06/16/2015,07:34:51,0.019

06/16/2015,07:35:51,0.503

06/16/2015,07:36:51,1.095

06/16/2015,07:37:51,1.498

06/16/2015,07:38:51,0.359

06/16/2015,07:39:51,0.091

06/16/2015,07:40:51,0.065

06/16/2015,07:41:51,0.049

06/16/2015,07:42:51,0.241

06/16/2015,07:43:51,1.249

06/16/2015,07:44:51,1.711 06/16/2015,07:45:51,1.968

06/16/2015,07:46:51,1.335

06/16/2015,07:47:51,0.958

06/16/2015,07:48:51,0.917

06/16/2015,07:49:51,0.524

06/16/2015,07:50:51,1.785 06/16/2015,07:51:51,0.361

06/16/2015,07:52:51,0.150

06/16/2015,07:53:51,0.069

06/16/2015,07:54:51,0.058

06/16/2015,07:55:51,0.041

06/16/2015,07:56:51,0.036

06/16/2015,07:57:51,0.036

06/16/2015,07:58:51,0.057

06/16/2015,07:59:51,0.123 06/16/2015,08:00:51,0.048 06/16/2015,08:01:51,0.055 06/16/2015,08:02:51,0.076

06/16/2015,08:03:51,0.089

06/16/2015,08:04:51,0.080

06/16/2015,08:05:51,0.066

06/16/2015,08:06:51,0.055

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410011

Test ID:,005

Test Abbreviation:, Start Date:,06/16/2015 Start Time:,08:15:35

Duration (dd:hh:mm:ss):,0:00:48:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,48

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.199 ,Minimum:,0.017

Time of Minimum:,08:49:35 ,Date of Minimum:,06/16/2015

,Maximum:,1.550

Time of Maximum:,08:52:35, Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,08:16:35,0.021

06/16/2015,08:17:35,0.023

06/16/2015,08:18:35,0.020 06/16/2015,08:19:35,0.020

06/16/2015,08:20:35,0.019

06/16/2015,08:20:35,0.019 06/16/2015,08:21:35,0.021

06/16/2015,08:22:35,0.047

06/16/2015,08:23:35,0.059

06/16/2015,08:23:35,0.059 06/16/2015,08:24:35,0.302

06/16/2015,08:25:35,0.340

06/16/2015,08:26:35,0.407

06/16/2015,08:27:35,0.886

06/16/2015,08:28:35,0.544

06/16/2015,08:29:35,0.289

06/16/2015,08:30:35,0.631

06/16/2015,08:31:35,0.593

06/16/2015,08:32:35,0.200

06/16/2015,08:33:35,0.062 06/16/2015,08:34:35,0.147 06/16/2015,08:35:35,0.126 06/16/2015,08:36:35,0.126 06/16/2015,08:37:35,0.180 06/16/2015,08:38:35,0.309 06/16/2015,08:39:35,0.186 06/16/2015,08:40:35,0.150 06/16/2015,08:41:35,0.082 06/16/2015,08:42:35,0.059 06/16/2015,08:43:35,0.055 06/16/2015,08:44:35,0.064 06/16/2015,08:45:35,0.054 06/16/2015,08:46:35,0.033 06/16/2015,08:47:35,0.024 06/16/2015,08:48:35,0.019 06/16/2015,08:49:35,0.017 06/16/2015,08:50:35,0.020 06/16/2015,08:51:35,0.136 06/16/2015,08:52:35,1.550 06/16/2015,08:53:35,0.727 06/16/2015,08:54:35,0.654 06/16/2015,08:55:35,0.170 06/16/2015,08:56:35,0.030 06/16/2015,08:57:35,0.018 06/16/2015,08:58:35,0.017 06/16/2015,08:59:35,0.018 06/16/2015,09:00:35,0.021 06/16/2015,09:01:35,0.021 06/16/2015,09:02:35,0.025

Model:,SidePak Aerosol Monitor Model Number:,AM510 Serial Number:,11410011 Test ID:,006 Test Abbreviation:, Start Date:,06/16/2015

06/16/2015,09:03:35,0.025

Start Time:,09:15:56

Duration (dd:hh:mm:ss):,0:00:12:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,12

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.023 ,Minimum:,0.011

Time of Minimum:,09:20:56, Date of Minimum:,06/16/2015

,Maximum:,0.055

Time of Maximum:,09:18:56, Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol

 $MM/dd/yyyy, hh:mm:ss, mg/m^3$

06/16/2015,09:16:56,0.019

06/16/2015,09:17:56,0.022

06/16/2015,09:18:56,0.055

06/16/2015,09:19:56,0.042

06/16/2015,09:20:56,0.011

06/16/2015,09:21:56,0.018

06/16/2015,09:22:56,0.015

06/16/2015,09:23:56,0.014

06/16/2015,09.24.56.0.016

06/16/2015,09:24:56,0.018

06/16/2015,09:25:56,0.019

06/16/2015,09:26:56,0.024

06/16/2015,09:27:56,0.023

Model:,SidePak Aerosol Monitor

Model Number:,AM510

Serial Number:,11410011

Test ID:,007

Test Abbreviation:,

Start Date: ,06/16/2015

Start Time:,09:29:15

Duration (dd:hh:mm:ss):,0:00:03:00

Time constant (seconds):,0

Log Interval (mm:ss):,01:00

Number of points:,3

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3

,Average:,0.000

,Minimum:,0.000

Time of Minimum:,09:29:15

Date of Minimum:,06/16/2015

,Maximum:,0.000

Time of Maximum:,09:29:15

Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol

,Cal. date,06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,09:30:15,0.000

06/16/2015,09:31:15,0.000

06/16/2015,09:32:15,0.000

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013 Test ID:,001 Test Abbreviation:, Start Date: ,06/16/2015 Start Time: .05:28:20

Duration (dd:hh:mm:ss):,0:00:12:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,12

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3 ,Average:,0.025 ,Minimum:,0.022 Time of Minimum:,05:34:20

Date of Minimum:,06/16/2015

.Maximum: 0.029

Time of Maximum: 05:38:20 Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/16/2015

Date, Time, Aerosol MM/dd/yyyy,hh:mm:ss,mg/m^3 06/16/2015,05:29:20,0.023 06/16/2015,05:30:20,0.026 06/16/2015,05:31:20,0.023 06/16/2015,05:32:20,0.023 06/16/2015,05:33:20,0.023 06/16/2015,05:34:20,0.022 06/16/2015,05:35:20,0.022 06/16/2015,05:36:20,0.025 06/16/2015,05:37:20,0.026 06/16/2015,05:38:20,0.029

Model:.SidePak Aerosol Monitor Model Number:,AM510 Serial Number:,11410013

06/16/2015,05:39:20,0.025 06/16/2015,05:40:20,0.028

Test ID:,002

Test Abbreviation:, Start Date: ,06/16/2015 Start Time:,05:52:25

Duration (dd:hh:mm:ss):,0:01:13:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,73

Notes:.

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.054 ,Minimum:,0.020

Time of Minimum:,06:30:25 Date of Minimum: 06/16/2015

.Maximum: .0.272

Time of Maximum:,07:00:25 Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,05:53:25,0.038

06/16/2015,05:54:25,0.052

06/16/2015,05:55:25,0.039

06/16/2015,05:56:25,0.030

06/16/2015,05:57:25,0.028

06/16/2015,05:58:25,0.024

06/16/2015,05:59:25,0.028

06/16/2015,06:00:25,0.027

06/16/2015,06:01:25,0.027

06/16/2015,06:02:25,0.028

06/16/2015,06:03:25,0.027

06/16/2015,06:04:25,0.045

06/16/2015,06:05:25,0.062

06/16/2015,06:06:25,0.030

06/16/2015,06:07:25,0.028

06/16/2015,06:08:25,0.041

06/16/2015,06:09:25,0.063

06/16/2015,06:10:25,0.086

06/16/2015,06:11:25,0.102

06/16/2015,06:12:25,0.140

06/16/2015,06:13:25,0.037

06/16/2015,06:14:25,0.027

06/16/2015,06:15:25,0.027

06/16/2015,06:16:25,0.024

06/16/2015,06:17:25,0.026

06/16/2015,06:18:25,0.025

06/16/2015,06:19:25,0.023

06/16/2015,06:20:25,0.022

06/16/2015,06:21:25,0.023

06/16/2015,06:22:25,0.027

06/16/2015,06:23:25,0.033

06/16/2015,06:24:25,0.051

06/16/2015,06:25:25,0.063

06/16/2015,06:26:25,0.034 06/16/2015,06:27:25,0.023

06/16/2015,06:28:25,0.023

06/16/2015,06:29:25,0.021

06/16/2015,06:30:25,0.020

06/16/2015,06:31:25,0.021

06/16/2015,06:32:25,0.022

06/16/2015,06:33:25,0.022

06/16/2015,06:34:25,0.025

06/16/2015,06:35:25,0.034 06/16/2015,06:36:25,0.087 06/16/2015,06:37:25,0.113 06/16/2015,06:38:25,0.105 06/16/2015,06:39:25,0.045 06/16/2015,06:40:25,0.025 06/16/2015,06:41:25,0.030 06/16/2015,06:42:25,0.022 06/16/2015,06:43:25,0.021 06/16/2015,06:44:25,0.021 06/16/2015,06:45:25,0.044 06/16/2015,06:46:25,0.075 06/16/2015,06:47:25,0.072 06/16/2015,06:48:25,0.035 06/16/2015,06:49:25,0.055 06/16/2015,06:50:25,0.102 06/16/2015,06:51:25,0.163 06/16/2015,06:52:25,0.106 06/16/2015,06:53:25,0.058 06/16/2015,06:54:25,0.055 06/16/2015,06:55:25,0.035 06/16/2015,06:56:25,0.032 06/16/2015,06:57:25,0.212 06/16/2015,06:58:25,0.181 06/16/2015,06:59:25,0.091 06/16/2015,07:00:25,0.272 06/16/2015,07:01:25,0.071 06/16/2015,07:02:25,0.030 06/16/2015,07:03:25,0.037 06/16/2015,07:04:25,0.057

Model:,SidePak Aerosol Monitor Model Number:,AM510 Serial Number:,11410013 Test ID:,003 Test Abbreviation:, Start Date:,06/16/2015 Start Time:,07:14:15 Duration (dd:hh:mm:ss):,0:00:01:00 Time constant (seconds):,0 Number of points:,1

06/16/2015,07:05:25,0.089

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.029 ,Minimum:,0.029

Notes:,

Time of Minimum:,07:15:15, Date of Minimum:,06/16/2015

,Maximum:,0.029

Time of Maximum:,07:15:15, Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3 06/16/2015, 07:15:15, 0.029

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013

Test ID:,004

Test Abbreviation:, Start Date:,06/16/2015 Start Time:,07:15:55

Duration (dd:hh:mm:ss):,0:00:51:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00

Number of points:,51

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.649

,Minimum:,0.023

Time of Minimum:,07:33:55

Date of Minimum:,06/16/2015

,Maximum:,2.294

Time of Maximum:,07:45:55 ,Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,07:16:55,0.065

06/16/2015,07:17:55,0.059

06/16/2015,07:18:55,0.391

06/16/2015,07:19:55,0.478

06/16/2015,07:20:55,0.955

06/16/2015,07:21:55,1.507

06/16/2015,07:22:55,1.803

06/16/2015,07:23:55,1.798

06/16/2015,07:24:55,1.485

06/16/2015,07:25:55,1.066

06/16/2015,07:26:55,0.812

06/16/2015,07:27:55,1.419

06/16/2015,07:28:55,1.635

06/16/2015,07:29:55,1.544

06/16/2015,07:30:55,0.477

06/16/2015,07:31:55,0.036

06/16/2015,07:32:55,0.035

06/16/2015,07:33:55,0.023

06/16/2015,07:34:55,0.023

06/16/2015,07:35:55,0.594 06/16/2015,07:36:55,1.216 06/16/2015,07:37:55,1.592 06/16/2015,07:38:55,0.356 06/16/2015,07:39:55,0.093 06/16/2015,07:40:55,0.072 06/16/2015,07:41:55,0.052 06/16/2015,07:42:55,0.287 06/16/2015,07:43:55,1.467 06/16/2015,07:44:55,2.130 06/16/2015,07:45:55,2.294 06/16/2015,07:46:55,1.429 06/16/2015,07:47:55,1.047 06/16/2015,07:48:55,0.970 06/16/2015,07:49:55,0.550 06/16/2015,07:50:55,1.854 06/16/2015,07:51:55,0.380 06/16/2015,07:52:55,0.162 06/16/2015,07:53:55,0.077 06/16/2015,07:54:55,0.059 06/16/2015,07:55:55,0.043 06/16/2015,07:56:55,0.037 06/16/2015,07:57:55,0.040 06/16/2015,07:58:55,0.061 06/16/2015,07:59:55,0.140 06/16/2015,08:00:55,0.046 06/16/2015,08:01:55,0.070 06/16/2015,08:02:55,0.082 06/16/2015,08:03:55,0.091 06/16/2015,08:04:55,0.082 06/16/2015,08:05:55,0.067

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013 Test ID:,005

06/16/2015,08:06:55,0.056

Test Abbreviation:, Start Date:,06/16/2015 Start Time:,08:15:40

Duration (dd:hh:mm:ss):,0:00:48:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00 Number of points:,48

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m³ ,Average:,0.219 ,Minimum:,0.020

Time of Minimum:,08:20:40 ,Date of Minimum:,06/16/2015

,Maximum:,1.866

Time of Maximum:,08:52:40

Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol ,Cal. date,06/16/2015

Date, Time, Aerosol

 $MM/dd/yyyy, hh: mm: ss, mg/m^3$

06/16/2015,08:16:40,0.025

06/16/2015,08:17:40,0.023

06/16/2015,08:18:40,0.022

06/16/2015,08:19:40,0.022

06/16/2015,08:20:40,0.020

06/16/2015,08:21:40,0.024

06/16/2015,08:22:40,0.047

06/16/2015,08:23:40,0.078

06/16/2015,08:24:40,0.325

06/16/2015,08:25:40,0.359

06/16/2015,08:26:40,0.482

06/16/2015,08:27:40,1.006

06/16/2015,08:28:40,0.531

06/16/2015,08:29:40,0.340

06/16/2015,08:30:40,0.683

06/16/2015,08:31:40,0.654

06/16/2015,08:32:40,0.183

06/16/2015,08:33:40,0.068

06/16/2015,08:34:40,0.163

06/16/2015,08:35:40,0.143

06/16/2015,08:36:40,0.139

06/16/2015,08:37:40,0.209

06/16/2015,08:38:40,0.319

06/16/2015,08:39:40,0.204

06/16/2015,08:40:40,0.161

06/16/2015,08:41:40,0.085

06/16/2015,08:42:40,0.068

06/16/2015,08:43:40,0.062

06/16/2015,08:44:40,0.071 06/16/2015,08:45:40,0.058

06/16/2015,08:46:40,0.034

06/16/2015,08:47:40,0.024

06/16/2015,08:48:40,0.021

06/16/2015,08:49:40,0.021

06/16/2015,08:50:40,0.035

06/16/2015,08:51:40,0.152

06/16/2015,08:52:40,1.866

06/16/2015,08:53:40,0.791

06/16/2015,08:54:40,0.619

06/16/2015,08:55:40,0.183

06/16/2015,08:56:40,0.027

06/16/2015,08:57:40,0.022

06/16/2015,08:58:40,0.022

06/16/2015,08:59:40,0.021

06/16/2015,09:00:40,0.023

06/16/2015,09:01:40,0.024

06/16/2015,09:02:40,0.031

06/16/2015,09:03:40,0.031

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013

Test ID:,006

Test Abbreviation:, Start Date:,06/16/2015 Start Time:,09:16:00

Duration (dd:hh:mm:ss):,0:00:12:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00

Number of points:,12

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3

,Average:,0.025

,Minimum:,0.012

Time of Minimum:,09:21:00 ,Date of Minimum:,06/16/2015

,Maximum:,0.064

Time of Maximum:,09:19:00 ,Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol

,Cal. date,06/16/2015

Date, Time, Aerosol

MM/dd/yyyy,hh:mm:ss,mg/m^3

06/16/2015,09:17:00,0.019

06/16/2015,09:18:00,0.027

06/16/2015,09:19:00,0.064

06/16/2015,09:20:00,0.040

06/16/2015,09:21:00,0.012

06/16/2015,09:22:00,0.019 06/16/2015,09:23:00,0.016

06/16/2015,09:24:00,0.015

06/16/2015,09:25:00,0.019

06/16/2015,09:26:00,0.021

06/16/2015,09:27:00,0.029

06/16/2015,09:28:00,0.025

Model:,SidePak Aerosol Monitor

Model Number:,AM510 Serial Number:,11410013

Test ID:,007

Test Abbreviation:, Start Date:,06/16/2015 Start Time:.09:29:19

Duration (dd:hh:mm:ss):,0:00:03:00

Time constant (seconds):,0 Log Interval (mm:ss):,01:00

Number of points:,3

Notes:,

Statistics, Channel:, Aerosol

,Units:,mg/m^3

,Average:,0.000

,Minimum:,0.000

Time of Minimum:,09:30:19 ,Date of Minimum:,06/16/2015

,Maximum:,0.001

,Time of Maximum:,09:31:19 ,Date of Maximum:,06/16/2015

Calibration, Sensor:, Aerosol, Cal. date, 06/16/2015

Date, Time, Aerosol MM/dd/yyyy, hh:mm:ss, mg/m^3 06/16/2015,09:30:19,0.000 06/16/2015,09:31:19,0.001 06/16/2015,09:32:19,0.000